

FUNDAMENTALS AND APPLICATIONS
OF
NEUTRON IMAGING

(中性子イメージング技術の基礎と応用)

1. Contents of Bound Volume
2. List of Captions: Figures Photographs and Tables

Subcommittee of Neutron Imaging:
Science, Technology and Application

Physical Science and Industry Committee,
Japan Radioisotope Association

©Japan Radioisotope Association, 2009 Printed in Japan

CONTENT OF BOUND VOLUME

No. · Chapter	Title	Original Vol.	Original No.	Original Page	Column L/R	Bound Page
<hr style="border-top: 1px dashed black;"/>						
Preface. by H. Kobayashi		56	4	203	LR	1
An Introduction to the Neutron Imaging. by H. Kobayashi						
1.	Neutron imaging	56	4	207	L	5
2.	History of neutron imaging	56	4	207	R	5
—Fundamental Part— (denote “F-1” = “Fundamental part No.1 etc.)						
F-1 Interaction between Neutrons and Matter. by Y. Kiyanagi						
1.	General description on interaction	56	4	211	L	9
2.	Neutron cross section in medium and high energy region	56	4	213	R	11
2 · 1	Potential scattering cross section	56	4	214	L	12
2 · 2	Resonance cross section	56	4	216	R	14
F-2 Characteristic Transmission Feature of Neutrons – Low Energy Neutron Cross Section. by Y. Kiyanagi						
1.	Fundamental of scattering cross section	56	5	271	L	17
2.	Neutron diffraction (Elastic scattering)	56	5	273	L	19
3.	Neutron refraction	56	5	275	R	21
4.	Incoherent scattering by hydrogeneous materials	56	5	277	L	23
5.	Neutron slowing down and energy spectrum	56	5	278	R	24
6.	Concluding remark	56	5	280	R	26
F-3 Principles of Neutron Imaging Technology. by M. Tamaki						
1.	What can we find in images obtained by neutrons transmission?	56	6	329	L	29
2.	Let see typical transmission images by neutron imaging!	56	6	329	R	29
3.	What is neutron imaging?	56	6	332	L	32
3 · 1	Utilization of neutron attenuation by interactions with matter	56	6	332	L	32
3 · 2	Constitution of neutron imaging system	56	6	333	L	33
4.	Classification of neutron imaging techniques	56	6	333	L	33
4 · 1	Detection techniques of neutrons	56	6	333	L	33
4 · 2	Neutron imaging techniques	56	6	334	L	34

CONTENT OF BOUND VOLUME

No. · Chapter	Title	Original Vol.	No.	Page	Column L/R	Bound Page
<hr style="border-top: 1px dashed black;"/>						
4 · 3	Multi-discipline combined imaging techniques	56	6	335	L	35
4 · 4	Classification by neutron energy groups and their characteristics	56	6	335	L	35
4 · 5	Quantification of neutron imaging	56	6	336	L	36
5.	Concluding remark	56	6	337	L	37
F-4 Basic Parameters Relating Neutron Imaging. by H. Kobayashi						
1.	Introduction	56	7	403	L	39
2.	Neutron beam	56	7	403	R	39
3.	Beam intensity	56	7	405	L	41
4.	Nonparallel beam	56	7	405	R	41
4 · 1	Magnification	56	7	405	R	41
4 · 2	Geometrical uncertainty	56	7	406	L	42
5.	Factors on imaging system	56	7	406	L	42
5 · 1	Inherent resolution	56	7	406	R	42
5 · 1 · 1	Resolution for imaging techniques	56	7	406	R	42
5 · 1 · 2	Theoretical analysis	56	7	408	R	44
5 · 1 · 2 · 1	Imaging system	56	7	408	R	44
5 · 1 · 2 · 2	Modulation transfer function	56	7	408	R	44
5 · 1 · 3	Overall resolution	56	7	409	L	45
5 · 2	Density resolution of system	56	7	409	R	45
5 · 2 · 1	Imaging system	56	7	409	R	45
5 · 2 · 2	Density resolution on pixel size	56	7	411	R	47
5 · 3	Image distortion	56	7	411	R	47
5 · 3 · 1	Imaging system	56	7	411	R	47
5 · 3 · 2	Nonlinearity	56	7	411	R	47
6.	Effective energy and effective macroscopic cross section	56	7	412	R	48
6 · 1	Effective energy	56	7	413	L	49
6 · 2	Effective macroscopic cross section	56	7	413	L	49
6 · 3	Energy sensitivity of converters	56	7	414	L	50
7.	Scattering neutron	56	7	414	R	50
8.	Concluding remark	56	7	415	R	51
F-5 Neutron Sources for Neutron Imaging. by M. Matsubayashi						
1.	Introduction	56	8	479	L	53
2.	Neutron sources using radioisotopes	56	8	480	L	54

CONTENT OF BOUND VOLUME

No. · Chapter	Title	Original			Column Bound	
		Vol.	No.	Page	L/R	Page
2 · 1	Neutron sources using (α , n) reactions	56	8	480	R	54
2 · 2	Neutron sources using (γ , n) reactions	56	8	480	R	54
2 · 3	Spontaneous fission neutron sources	56	8	481	R	55
3.	Neutron sources using accelerators	56	8	482	R	56
4.	Neutron sources using spallation reactions	56	8	483	R	57
5.	Neutron sources using nuclear reactors	56	8	484	R	58
6.	Accessory equipments for neutron sources	56	8	485	R	59
6 · 1	Fission converter	56	8	485	R	59
6 · 2	Filter (Beryllium, Graphite)	56	8	485	R	59
6 · 3	Cold neutron source and hot neutron source	56	8	485	R	59
7.	Concluding remark	56	8	486	L	60
F-6 Neutron Beams for Neutron Imaging. by H. Kobayashi						
1.	Introduction	56	9	573	L	61
2.	Generation of neutron beam	56	9	573	L	61
2 · 1	Neutron source	56	9	573	L	61
2 · 2	Thermalization	56	9	574	L	62
2 · 3	Filter 1	56	9	575	L	63
2 · 4	Diaphragm	56	9	575	R	63
2 · 4 · 1	Position of diaphragm	56	9	575	R	63
2 · 4 · 2	Shape and size	56	9	575	R	63
2 · 4 · 3	Material	56	9	576	L	64
2 · 4 · 4	Variations	56	9	576	L	64
2 · 5	Flight tube	56	9	576	R	64
2 · 6	Filter 2	56	9	577	L	65
2 · 7	Beam shatter	56	9	578	L	66
2 · 8	Imaging system	56	9	578	R	66
2 · 9	Beam catcher	56	9	578	R	66
2 · 10	Irradiation and shielding room	56	9	578	R	66
2 · 11	Various neutron beams	56	9	579	L	67
3.	Intensity and beam quality	56	9	579	L	67
3 · 1	Thermal neutron	56	9	580	L	68
3 · 2	Cold neutron	56	9	580	L	68
3 · 3	Very cold neutron	56	9	580	R	68
3 · 4	Sub-thermal neutron	56	9	580	R	68
3 · 5	Fast neutron	56	9	581	L	69
4.	Performance of irradiation system	56	9	581	L	69

CONTENT OF BOUND VOLUME

No. · Chapter	Title	Vol.	Original No.	Page	Column L/R	Bound Page
4 · 1	Fluence rate	56	9	581	L	69
4 · 2	LD and L value	56	9	581	L	69
4 · 3	Beam quality	56	9	581	R	69
4 · 4	Scattering neutron and γ ray	56	9	581	R	69
5.	Concluding remark	56	9	582	R	70
F-7 Image Acquisition Techniques on Neutron Imaging. by H. Kobayashi						
1.	Introduction	56	10	687	L	73
2.	Image acquisition methods	56	10	687	L	73
2 · 1	Detection of neutrons	56	10	687	R	73
2 · 1 · 1	Materials for neutron detection	56	10	687	R	73
2 · 1 · 2	Detection methods	56	10	688	L	74
2 · 2	Materials used for neutron detection	56	10	690	L	76
2 · 2 (a)	Metal Gd	56	10	690	L	76
2 · 2 (b)	Heavy particles with X-ray film	56	10	690	R	76
2 · 2 (c)	Particles with fluorescent materials	56	10	691	L	77
2 · 2 (d)	Self fluorescent materials	56	10	691	L	77
2 · 2 (e)	Complex fluorescent materials	56	10	691	R	77
2 · 2 (f)	Solid state detector	56	10	691	R	77
2 · 2 (g)	Imaging plate	56	10	691	R	77
2 · 3	Electronic imaging	56	10	692	L	78
2 · 3 (a)	Proportional counter	56	10	692	L	78
2 · 3 (b)	Image intensifier (II)	56	10	692	R	78
2 · 3 (c)	General-purpose imaging tubes	56	10	692	R	78
2 · 3 (d)	Solid state imaging devices	56	10	692	R	78
2 · 4	Advanced and complex imaging techniques	56	10	693	L	79
3.	Performance of imaging system	56	10	694	L	80
3 · 1	Sensitivity	56	10	694	L	80
3 · 2	Linearity	56	10	694	R	80
3 · 3	Dynamic range	56	10	695	L	81
3 · 4	Quantum efficiency	56	10	695	R	81
3 · 5	Density resolution and noise	56	10	696	L	82
3 · 6	Spatial resolution	56	10	696	R	82
4.	Concluding remark	56	10	696	R	82
F-8 Fundamentals for Neutron Computed Tomography. by H. Kobayashi						
1.	Introduction	56	11	751	L	85

CONTENT OF BOUND VOLUME

No. · Chapter	Title	Vol.	Original No.	Page	Column L/R	Bound Page
<hr style="border-top: 1px dashed black;"/>						
2.	Acquisition of projection image and pre-treatment	56	11	751	R	85
2 · 1	Neutron beam for tomography	56	11	751	R	85
2 · 2	Imaging of projection image	56	11	752	L	86
2 · 3	Data acquisition and preliminary treatment	56	11	752	R	86
2 · 3 · 1	Scanning method of projection image	56	11	752	R	86
2 · 3 · 2	Estimation of scattered component and correction	56	11	752	R	86
2 · 3 · 3	Preliminary treatment of projection data	56	11	752	R	86
3.	Outline of tomography	56	11	753	L	87
3 · 1	Algorithm of reconstruction	56	11	753	L	87
3 · 2	Additive processing	56	11	756	R	90
4.	Inherent problems	56	11	756	R	90
4 · 1	Requirement for neutron tomography	56	11	756	R	90
4 · 2	Problems for cone shape beam	56	11	757	L	91
4 · 2 · 1	Distortion of image	56	11	757	L	91
4 · 2 · 2	Uncertainty of image	56	11	757	R	91
4 · 3	Artifact	56	11	757	R	91
4 · 3 · 1	Line shape artifact	56	11	757	R	91
4 · 3 · 2	Ring shape artifact	56	11	758	L	92
4 · 3 · 3	Effect of beam spectrum distortion	56	11	758	R	92
4 · 3 · 4	Clipping effect	56	11	758	R	92
4 · 3 · 5	Edge effect	56	11	758	R	92
4 · 3 · 6	Artifact for moving object	56	11	758	R	92
5.	Evaluations	56	11	759	L	93
5 · 1	Evaluation of CT image	56	11	759	L	93
5 · 2	New proposal for neutron CT value	56	11	759	L	93
5 · 3	Proposal of log-transmittance	56	11	759	R	93
5 · 4	Statistics for CT	56	11	760	R	94
5 · 5	Spatial resolution	56	11	760	R	94
6.	Possibility of NCT	56	11	761	L	95
7.	Concluding remark	56	11	761	R	95

F-9 Electronic Image Taking and Processing for Neutron Imaging. by K. Mochiki

1.	Introduction	57	1	77	L	97
2.	Imaging system for static phenomena	57	1	77	R	97
2 · 1	Cooled CCD camera	57	1	79	L	99

CONTENT OF BOUND VOLUME

No. · Chapter	Title	Original			Column Bound	
		Vol.	No.	Page	L/R	Page
<hr style="border-top: 1px dashed black;"/>						
2 · 2	Imaging plate	57	1	80	L	100
3.	Imaging system for dynamic phenomena	57	1	80	L	100
3 · 1	SIT tube camera	57	1	80	R	100
3 · 2	HARP tube camera	57	1	80	R	100
3 · 3	Solid state imaging device	57	1	81	L	101
3 · 4	Neutron image intensifier	57	1	81	R	101
4.	Image processing	57	1	84	L	104
5.	Concluding remark	57	1	85	L	105
F-10 Practical Applications of Neutron Computed Tomography.						
by K.Mochiki and H. Kobayashi						
1.	Introduction	57	2	153	L	107
2.	Neutron computed tomography	57	2	153	R	107
2 · 1	Thermal neutron CT	57	2	153	R	107
2 · 2	Cold neutron · Monochromatic neutron	57	2	158	L	112
2 · 3	Epithermal and fast neutron CT	57	2	159	L	113
2 · 4	Monochromatic neutron CT by TOF method	57	2	159	R	113
3.	Dynamic computed tomography	57	2	160	L	114
4.	Other computed tomography methods except absorption contrast method	57	2	161	L	115
4 · 1	Phase contrast CT	57	2	161	L	115
4 · 2	Refraction contrast CT	57	2	162	L	116
4 · 3	Ultra small angle scattering CT	57	2	162	R	116
4 · 4	Polarized neutron CT	57	2	163	L	117
5.	Related techniques	57	2	163	L	117
5 · 1	Linearity of CT number	57	2	163	L	117
5 · 2	Maximum likelihood estimation	57	2	163	L	117
5 · 3	Wide cone beam	57	2	163	R	117
5 · 4	Large object	57	2	163	R	117
5 · 5	Correction of scattering neutron	57	2	163	R	117
5 · 6	Enhancement by iterative de-blurring	57	2	163	R	117
5 · 7	Artifact	57	2	164	L	118
5 · 8	Noise analysis	57	2	164	L	118
6.	Concluding remark	57	2	164	R	118
F-11 New Technology of Neutron Imaging (Part 1). by Y. Kawabata						
1.	Introduction	57	3	199	L	121

CONTENT OF BOUND VOLUME

No. • Chapter	Title	Original Vol.	No.	Page	Column L/R	Bound Page
<hr style="border-top: 1px dashed black;"/>						
2.	Neutron phase imaging (Phase contrast method)	57	3	199	R	121
3.	Neutron refraction imaging	57	3	202	L	124
4.	Stroboscopic method	57	3	202	R	124
5.	Neutron – X-ray image fusion	57	3	204	L	126
6.	Concluding remark	57	3	205	L	127
F-12 New Technology of Neutron Imaging (Part 2). by Y. Kawabata						
1.	Introduction	57	4	267	L	129
2.	Energy selective neutron imaging	57	4	267	L	129
3.	Monochromatic neutron method	57	4	268	R	130
4.	Neutron resonance absorption spectrometry (N-RAS)	57	4	270	R	132
5.	Dy- $\text{I}\nu$ method	57	4	271	R	133
6.	Coded aperture method	57	4	273	L	135
7.	Other methods	57	4	273	L	135
8.	Concluding remark	57	4	274	L	136
—Application Part— (denote “A-1” = “Application part No.1 etc.)						
A-1 Neutron Imaging in Nondestructive Testing. by Y. Ikeda						
1.	Subject of nondestructive test and role of neutron imaging	56	4	219	L	139
2.	Outline of nondestructive testing techniques	56	4	221	L	141
2 • 1	Radiography test (RT)	56	4	221	L	141
2 • 2	Ultrasonic test (UT)	56	4	221	R	141
2 • 3	Surface test	56	4	222	L	142
2 • 4	Eddy current test (ET)	56	4	223	L	143
2 • 5	Infrared thermography	56	4	223	L	143
3.	Characteristics of radiography test by neutron imaging	56	4	223	R	143
4.	Present state of nondestructive test in industrial fields and feasibility of application of neutron imaging techniques	56	4	224	R	144
4 • 1	Steel manufacturing	56	4	224	R	144
4 • 2	Welding	56	4	226	L	146
4 • 3	Plastics / Composites	56	4	227	L	147
4 • 4	Electronic parts / Ceramics	56	4	227	R	147
4 • 5	Aircrafts / Space technology	56	4	228	L	148

CONTENT OF BOUND VOLUME

No. · Chapter	Title	Vol.	Original No.	Page	Column L/R	Bound Page
4 · 6	Structure construction by concrete	56	4	228	R	148
4 · 8	Power plant and heavy industry	56	4	229	R	149
4 · 9	Arts and archeological specimens	56	4	229	R	149
5.	Concluding remark	56	4	229	R	149
A-2 Evaluation Method of Neutron Imaging and X-ray Imaging in Nondestructive Testing. by Y. Ikeda						
1.	Introduction	56	5	283	L	151
2.	Feature of radiography testing	56	5	283	L	151
2 · 1	Contrast resolution of image detector and perceptive sensitivity to thickness change of object	56	5	283	R	151
3.	Detectability for defect (Effect of spatial resolution)	56	5	286	L	154
4.	Evaluation methods for radiography image	56	5	287	L	155
4 · 1	Image resolution charts	56	5	287	L	155
4 · 2	Penetrameters for X-ray radiography testing	56	5	288	L	156
4 · 3	Beam purity indicator (BPI) and image quality indicator (Sensitivity Indicator, SI)	56	5	289	L	157
5.	Concluding remark	56	5	290	R	158
A-3 Application of Neutron Imaging in Aircraft, Space Rocket, Car and Gunpowder Industries. by Y. Ikeda						
1.	Introduction	56	6	339	L	159
2.	Examples of neutron imaging for aircraft gas turbine-blades	56	339	R	159	
3.	Erosion inspection of aircraft honeycomb structures	56	6	341	R	161
4.	Examples of NRT imaging applied to space device inspection	56	6	345	L	165
5.	Examples of NRT and XRT applied to automobile parts	56	6	348	L	168
6.	Examples of NRT imaging applied to fireworks and gunpowder in bullets	56	6	348	R	168
7.	Concluding remark	56	6	349	L	169
A-4 Applications of Neutron Imaging to Material Engineering. by M. Tamaki						
1.	Introduction	56	7	417	L	171
2.	Typical study for scattered neutron influences	56	7	417	R	171

CONTENT OF BOUND VOLUME

No. · Chapter	Title	Original Vol.	No.	Page	Column L/R	Bound Page
2 · 1	Typical study concerned to reducing technique of scattered neutrons	56	7	418	L	172
2 · 2	Typical study concerned to evaluating component of scattered neutrons by shadowing technique	56	7	418	R	172
2 · 3	Typical study concerned to one-dimensional removal of scattered neutrons by slit technique	56	7	418	R	172
2 · 4	Typical study concerned to two-dimensional removal of scattered neutrons by honeycomb-shaped collimator technique	56	7	420	L	174
3.	Typical study concerned to γ -ray influence	56	7	421	R	175
4.	Typical study concerned to neutron spectrum	56	7	424	L	178
4 · 1	Typical study concerned to Bragg-cut-off	56	7	424	R	178
4 · 2	Typical study concerned to tailoring of effective neutron energy by filters	56	7	425	L	179
4 · 3	Typical study using monochromatic cold neutron	56	7	425	R	179
4 · 4	Typical study of monochromatic neutron imaging by time-of-flight (TOF) technique	56	7	426	R	180
5.	Concluding remark	56	7	428	R	182
A-5 Application of Neutron Imaging to Fluid Engineering - 1.						
by N. Takenaka, H. Asano, H. Umekawa and M. Matsubayashi						
1.	Introduction	56	8	487	L	185
2.	Visualization and measurement of two-phase flow	56	8	487	R	185
3.	Visualization of freezing and cooling machines	56	8	489	L	187
A-6 Application of Neutron Imaging to Fluid Engineering - 2.						
by N. Takenaka, H. Asano, H. Umekawa and M. Matsubayashi						
4.	Fuel cell	56	9	585	R	193
5.	Fluidized bed	56	9	586	R	194
6.	Industrial applications in Japan Atomic Energy Agency (JAEA)	56	9	589	L	197
6 · 1	Water tree deterioration in polyethylene resin	56	9	589	L	197
6 · 2	Detection of refrigerant behaviors in a micro tube	56	9	589	R	197
6 · 3	Visualization of hydrogen diffusion process in hydrogen storage alloy	56	9	589	R	197

CONTENT OF BOUND VOLUME

No. · Chapter	Title	Original Vol.	No.	Page	Column L/R	Bound Page
<hr style="border-top: 1px dashed black;"/>						
6 · 4	Non-destructive visualization of automobile machines	56	9	590	R	198
A-7 Application of Neutron Imaging to Nuclear Engineering.						
by N. Takenaka, R. Yasuda, Y. Saito and M. Kureta						
1.	Introduction	56	10	699	L	201
2.	Nuclear fuel and material testing	56	10	699	R	201
3.	Application to liquid metal flows	56	10	702	L	204
4.	Visualization and measurement of two-phase flow in nuclear power machines	56	10	704	R	206
A-8 Application of Neutron Imaging to Inspection of Art Objects and Ancient Artifacts.						
by M. Matsubayashi and F. Masuzawa						
1.	Introduction	56	11	763	LR	211
2.	Metal container and inner relics in it	56	11	764	L	212
2 · 1	Sutra container excavated from Ichijo-ji sutra mound in Wadayama-cho, Hyogo Prefecture	56	11	764	L	212
2 · 2	Lump of sutra scroll and bronze sutra container	56	11	764	R	212
2 · 3	Statue of Sakyamuni at birth	56	11	765	L	213
2 · 4	Bronze vase excavated from Negoro-ji temple side in Wakayama Prefecture	56	11	765	R	213
3.	Bronze mirror excavated from Shibusaki 7th tumulus of Sakurai mounded tomb group	56	11	767	L	215
4.	Application to cultural properties during conservation treatment	56	11	768	L	216
5.	Application to analyses of textile product	56	11	768	R	216
5 · 1	Harness excavated from Kazekaeshi Inariyama ancient burial mound	56	11	768	R	216
5 · 2	Summary of textile product analyses	56	11	772	L	220
6.	Application to fine art	56	11	773	L	221
7.	Current status and prospects for future	56	11	773	R	221
A-9 Application of Neutron Imaging to Biological Research. by Y. Kawabata						
1.	Introduction	56	12	827	L	225
2.	Application to water distribution measurement in ornamental flowers	56	12	827	R	225
3.	Application to root research in soil	56	12	829	R	227

CONTENT OF BOUND VOLUME

No. • Chapter	Title	Vol.	Original No.	Page	Column L/R	Bound Page
4.	Application to wood research	56	12	830	R	228
5.	Application to other plant research	56	12	831	R	229
6.	Application to medical research	56	12	832	L	230
7.	Concluding remark	56	12	833	R	231
A-10 Application of Neutron Imaging to Medical Field.						
by K. Kato, H. Wakao, K. Ogura, H. Yanagie and H. Kobayashi						
1.	Introduction	56	12	837	L	235
2.	Neutron imaging for small animals and internal organ	56	12	837	R	235
2 • 1	Images of living animals	56	12	838	L	236
2 • 2	Images of surgically resected organs	56	12	839	R	237
2 • 3	Application to human	56	12	839	R	237
2 • 4	Visions of application to whole body or resected organs	56	12	840	L	238
3.	Application to dentistry	56	12	840	R	238
3 • 1	Dental materials	56	12	841	R	239
3 • 2	Example of dental material NR images	56	12	841	R	239
3 • 3	Overview for dental science	56	12	843	L	241
4.	Accurate measurement of ^{10}B -concentrations and γ -distributions in biological samples for boron neutron capture therapy (BNCT).	56	12	843	L	241
4 • 1	Developing method for neutron capture autoradiography (NCAR) Images	56	12	843	R	241
4 • 2	Quality of NCAR images	56	12	844	L	242
4 • 3	Determination of ^{10}B -concentrations and γ -distributions in biological samples	56	12	845	L	243
4 • 4	Attempt of micro-dosimetric study for BNCT	56	12	845	R	243
4 • 5	Perspective of application of NCAR analyses using CR-39 track detector for basic studies of BNCT	56	12	846	L	244
5.	Concluding remark	56	12	846	L	244
A-11 Problems and Prospects of Neutron Imaging. by H. Kobayashi						
1.	Introduction	57	3	207	L	247
2.	Problems of technical side	57	3	207	R	247
2 • 1	Neutron source and intensity	57	3	207	R	247
2 • 2	neutron beam	57	3	207	R	247

CONTENT OF BOUND VOLUME

No. · Chapter	Title	Vol.	Original No.	Page	Column L/R	Bound Page
2 · 3	imaging system	57	3	209	L	249
3.	Industrial application	57	3	211	L	251
3 · 1	Neutron source and its mobility	57	3	211	L	251
3 · 2	Activation of sample and facilities	57	3	211	R	251
3 · 3	Usability from business side	57	3	212	L	252
3 · 4	Concealment of images on business	57	3	212	L	252
3 · 5	Running and maintenance costs	57	3	212	R	252
3 · 6	Qualification and education	57	3	213	L	253
4.	Standardization of beam and images	57	3	213	R	253
4 · 1	Current status of standardization	57	3	213	R	253
4 · 2	Standardization of related fields	57	3	215	L	255
5.	International cooperation	57	3	216	L	256
6.	Concluding remark	57	3	216	R	256
A-12 Neutron Imaging Facilities in Japan and Abroad. by M. Matsubayashi						
1.	Introduction	57	5	329	L	259
2.	Neutron imaging facilities using nuclear reactor neutron source	57	5	329	R	259
2 · 1	Japan Research Reactor No. 2 (JRR2)	57	5	329	R	259
2 · 2	Japan Research Reactor No. 4 (JRR4)	57	5	330	R	260
2 · 3	Nuclear Safety Research Reactor (NSRR)	57	5	331	L	261
2 · 4	Japan Research Reactor No. 3 modified (JRR-3M)	57	5	331	R	261
2 · 5	Kyoto University Reactor (KUR)	57	5	333	L	263
2 · 6	Musashi Institute of Technology Reactor	57	5	333	R	263
2 · 7	Rikkyo University Reactor	57	5	335	L	265
2 · 8	Kinki University Reactor	57	5	335	R	265
2 · 9	Fast neutron source from YAYOI reactor of University of Tokyo	57	5	335	R	265
3.	Neutron imaging facilities using accelerator neutron source	57	5	336	L	266
3 · 1	Sumitomo Heavy Industries Examination & Inspection, Ltd.	57	5	336	L	266
3 · 2	Japan Steel Works, Ltd.	57	5	336	R	266
3 · 3	Other neutron radiography facilities using accelerator neutron source	57	5	337	L	267
4.	Neutron imaging facilities using radioisotope neutron source	57	5	338	L	268

CONTENT OF BOUND VOLUME

No. • Chapter	Title	Original Vol.	No.	Page	Column L/R	Bound Page
4 • 1	²⁵² Cf thermal neutron radiography facility	57	5	338	L	268
4 • 2	¹²⁴ Sb-Be neutron radiography facility	57	5	338	R	268
5.	Neutron imaging facility using spallation neutron source	57	5	339	L	269
6.	Neutron imaging facilities abroad	57	5	339	R	269
6 • 1	Institute Laue-Langevin – High-Flux Reactor (LL-HFR)	57	5	341	L	271
6 • 2	Hahn-Meitner Institute – BER II (HMI-BER II)	57	5	341	R	271
6 • 3	French Atomic Commission – (CEA-ORPHEE)	57	5	342	L	272
6 • 4	Technical University of Munchen (TUM) -FRM-II	57	5	342	R	272
6 • 5	Atomic Energy Research Insitute – Budapest Research Reactor (KFKI AEKI-BRR)	57	5	342	R	272
6 • 6	National Institute of Standards and Technology – National Bureau of Standards Reactor (NIST-NBSR)	57	5	343	L	273
6 • 7	Paul Scherrer Institute – Swiss Spallation Neutron Source (PSI-SINQ)	57	5	344	L	274
6 • 8	Other distinguished neutron imaging facilities	57	5	345	L	275
7.	Concluding remark	57	5	348	L	278
Postscript	Final Remarks – Neutron Radiography to Neutron Imaging. by H. Kobayashi	57	5	351	LR	281

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.Fig./Table No.	Title	Original Vol. No.	Page	Column Bound L/R	Page	
<hr style="border-top: 1px dashed black;"/>						
—Fundamental Part— (denote “F-1” = “Fundamental part No.1 etc.)						
F-1 Interaction between Neutrons and Matter. by Y. Kiyanagi						
F-1	Fig.1	Mass attenuation coefficient for thermal neutrons.	56	4	213 LR	11
F-1	Fig.2	Schematic view of neutron scattering.	56	4	214 L	12
F-1	Fig.3	Wavefunction $u_0(r)$ and scattering length α for S wave scattering.	56	4	215 R	13
F-1	Fig.4	Energy dependence of neutron cross section of oxygen.	56	4	217 R	15
F-1	Table1	Properties of neutron.	56	4	212 L	10
<hr style="border-top: 1px solid black;"/>						
F-2 Characteristic Transmission Feature of Neutrons – Low Energy Neutron Cross Section. by Y. Kiyanagi						
F-2	Fig.1	Coordinate of atoms.	56	5	273 R	19
F-2	Fig.2	Relation of wave vector.	56	5	274 L	20
F-2	Fig.3	Position coordinate vector for a regular crystal.	56	5	274 R	20
F-2	Fig.4	Total coherent scattering cross section of a polycrystal material.	56	5	274 R	20
F-2	Fig.5	Total cross section of beryllium (Example of coherent scatterer).	56	5	275 L	21
F-2	Fig.6	Total cross section of lead in liquid, polycrystal and single crystal like states.	56	5	275 R	21
F-2	Fig.7	Schematic view of refraction of neutrons in matter.	56	5	276 R	22
F-2	Fig.8	Cross section of hydrogen in metal hydride	56	5	277 R	23
F-2	Fig.9	Energy dependence of total cross section of ^1H (Example of a incoherent scatterer).	56	5	278 L	24
F-2	Fig.10	Thickness dependence of transmitted spectrum of thermal neutron beam.	56	5	279 LR	25
F-2	Fig.11	Thickness dependence of transmitted spectrum of cold neutron beam.	56	5	280 LR	26

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.Fig./Table No.	Title	Original		Column Bound		
		Vol.	No.	Page	L/R	Page
F-3 Principles of Neutron Imaging Technology. by M. Tamaki						
F-3	Photo 1	IC player used for typical entrance examination.				
		56	6	330	L	30
F-3	Photo 2	Radiation transmission images				
		(a) Neutron transmission image.				
		(b) γ -ray transmission image.				
		56	6	330	LR	30
F-3	Photo 3	Monochromatic(0.4nm) neutron image of welded steel (10mm thickness).				
		56	6	331	R	31
F-3	Fig.1	Interactions of radiations with material				
		(a) Interaction of neutron with matter.				
		(b) Interaction of γ -ray with matter.				
		56	6	332	LR	32
F-3	Fig.2	Schematic relation of neutron attenuation by interactions with matter.				
		56	6	332	R	32
F-3	Fig.3	Constitution of neutron imaging system.				
		56	6	333	L	33
F-3	Fig.4	Outline of direct and indirect techniques for neutron imaging				
		(a) Direct imaging technique.				
		(b) Indirect imaging technique.				
		56	6	333	R	33
F-3	Fig.5	Comparison of characteristics for several two-dimensional neutron detectors.				
		56	6	334	LR	34
F-3	Fig.6	Energy-dependence of total neutron cross-section of elements having large absorption.				
		56	6	335	R	35
F-3	Fig.7	Energy-dependence of total neutron cross-section of cold neutron.				
		56	6	336	L	36
F-3	Fig.8	Various components contained in neutron imaging system which degrade image quantification.				
		56	6	336	R	36
F-3	Fig.9	Comparison of evaluation techniques for removing scattered neutron influences.				
		(a) Conventional method.				
		(b) Diversion method.				
		(c) Slit method.				
		(d) Shadowing method.				
		56	6	336	R	36
F-3	Fig.10	Direct imaging technique for removing γ -ray fogging effect by using double films of IPs or photo films.				
		56	6	336	R	36
F-3	Table1	Comparison of direct and indirect neutron imaging techniques.				
		56	6	334	LR	34
F-3	Table2	Classification of neutron in terms of energy regions.				
		56	6	335	R	35

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.Fig./Table No.	Title	Original Vol. No.	Page	Column Bound L/R	Page
F-3	Table3	Comparison of neutron attenuation coefficients (μ_T) obtained by various experimental techniques for removing γ -ray influences.			
		56	6	337	LR 37
<hr/>					
F-4	Basic Parameters Relating Neutron Imaging. by H. Kobayashi				
F-4	Fig.1	Neutron imaging and relating factors.		56	7 404 LR 40
F-4	Fig.2	Relative density resolution of various imaging systems.		56	7 410 LR 46
F-4	Table1	Inherent resolutions for various converter-film systems.		56	7 407 LR 43
F-4	Table2	Typical energy region used for neutron imaging.		56	7 412 LR 48
F-4	Table3	Relative scattered neutron intensities in various irradiation systems.		56	7 414 LR 50
<hr/>					
F-5	Neutron Sources for Neutron Imaging. by M. Matsubayashi				
F-5	Fig.1	Progress of neutron sources for research use.		56	8 479 R 53
F-5	Fig.2	Rendering birds-eye view of Japan Proton Accelerator Research Complex (J-PARC). J-PARC is a multi-purpose accelerator research facility, constructed in Tokai-mura as joint project of Japan Atomic Energy Agency (JAEA) and High Energy Accelerator Research Organization (HEARO). Protons, accelerated by a 3GeV synchrotron, bombard mercury target in Materials and Life Science Facility (MLSF) and then produce neutrons in spallation reaction.		56	8 480 LR 54
F-5	Fig.3	Sumitomo Heavy Industries Examination & Inspection (SHIEI) cyclotron neutron radiography facility.		56	8 483 L 57
F-5	Fig.4	Schematic diagram of spallation reaction.		56	8 483 LR 57
F-5	Fig.5	Birds-eye view of Research Reactor (JRR-3) pool.		56	8 484 R 58
F-5	Table1	Radioisotope neutron sources using (α , n) reaction.		56	8 481 LR 55
F-5	Table2	Radioisotope neutron sources using (γ , n) reaction.		56	8 481 LR 55

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.Fig./Table No.	Title	Original Vol. No.	Page	Column Bound L/R	Page	
F-5	Table3	Radioisotope neutron source using spontaneous fission reaction.				
		56	8	482	LR 56	
<hr/>						
F-6	Neutron Beams for Neutron Imaging. by H. Kobayashi					
F-6	Fig.1	Source, filters, diaphragm, maximum size of image and passage of neutrons.				
		56	9	575	L 63	
F-6	Fig.2	Relation of size of diaphragm D , homogeneous fluence area D_0 and homogeneous source intensity area D_s .				
		56	9	576	L 64	
F-6	Fig.3	Various adjustable diaphragm (a)~(d).				
		56	9	576	R 64	
F-6	Fig.4	Concepts of anti-scatter in flight tube (a), (b).				
		56	9	577	L 65	
F-6	Fig.5	Effects of beam filter.				
		56	9	577	R 65	
F-6	Fig.6	Effects of filter position.				
		56	9	578	L 66	
F-6	Fig.7	Relation between geometrical factors and intensity.				
		56	9	579	R 67	
<hr/>						
F-7	Image Acquisition Techniques on Neutron Imaging. by H. Kobayashi					
F-7	Fig.1	Concept of various imaging procedure.				
		56	10	689	LR 75	
F-7	Fig.2	Inspection of drug and explosive materials by Nuclear Diagnostic System,Ltd. (NDS)- Associated Particle Sealed-Tube Neutron Generator (APSTNG).				
		56	10	693	R 79	
F-7	Fig.3	Inspection results of APSTNG for cocaine and explosive.				
		56	10	693	R 79	
F-7	Fig.4	Relation of optical film density and neutron dose (a) Conventional method.				
		56	10	695	L 81	
F-7	Table1	(a) Converter materials for direct neutron radiography. (b) Converter materials for indirect (transfer) imaging.				
		56	10	688	LR 74	
<hr/>						
F-8	Fundamentals for Neutron Computed Tomography. by H. Kobayashi					
F-8	Fig.1	Flow charts of (1) filtered back projection (FBP)-, (2) convolution (CV)-, and (3) FT-method.				
		56	11	754	LR 88	
F-8	Fig.2	Schematic computing diagrams of FBP-process.				
		56	11	755	LR 89	

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.Fig./Table No.	Title	Original Vol. No.	Page	Column Bound L/R	Page	
F-8	Table1	Number of papers of NCT reported at international conference.				
		56	11	752	L 86	
F-9	Electronic Image Taking and Processing for Neutron Imaging. by K. Mochiki					
F-9	Fig.1	Radiograph taken by cooled CCD camera. Objects are RISO indicators and plastic toy.				57 1 79 R 99
F-9	Fig.2	Radiograph of leaves taken by High-gain Avalanche Rushing amorphous Photoconductor (HARP) tube camera. A quarter of 4096 x 4096 full image is shown.				57 1 81 L 101
F-9	Fig.3	Output response of red component of CCD camera to shutter speed.				57 1 82 LR 102
F-9	Fig.4	25cc mini engine rotating at 300 rpm. Video camera operated at 30 fps with shutter speed of 1/500 second.				57 1 82 L 102
F-9	Fig.5	Radiographs of the RISO indicator taken by 1.3 M pixels CMOS camera. (a) RISO indicator. (b) One frame raw data. (c) Processed image of (b) by median filter. (d) Accumulated image over 16 frames.				57 1 83 LR 103
F-9	Fig.6	Radiograph of hard disc drive (HDD) taken by 1.3 M pixels CMOS camera.				57 1 83 L 103
F-9	Fig.7	Computed tomogram by 1.3 M pixels CMOS camera. Object is aluminum cylindrical disc with slits. (540 frames taken within 18 seconds over 180 degrees. Every three frames summed into 180 projection data. Tomogram reconstructed by convolution integral method.)				57 1 83 R 103
F-9	Fig.8	Cf- based neutron radiography system by photon counting method. (a) System configuration for photon counting method. (b) Raw image. (c) Binary image. (d) Center-of-gravity image.				57 1 84 LR 104
F-9	Fig.9	Accumulated image by photon counting method. (a) Objects (Polyethylene and cadmium). (b) Accumulated raw image (131072 frames). (c) Accumulated binary image (131072 frames). (d) Accumulated center-of-gravity image (131072 frames).				57 1 85 LR 105

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.Fig./Table No.	Title	Original Vol. No.	Page	Column L/R	Bound Page	
F-9	Table1	Principles and characteristics of electronic imaging methods.				
		57	1	78	LR 98	
F-9	Table2	Comparison of image processing by hardware and software.				
		57	1	85	LR 105	
<p>F-10 Practical Applications of Neutron Computed Tomography. by K.Mochiki and H. Kobayashi</p>						
F-10	Fig.1	Observation of hydrogen density in storage alloy tank after cycle tests (top : projection images, bottom : tomograms).				
		(a) 1 cycle, (b) 100 cycles, (c) 140 cycles.				57 2 154 LR 108
F-10	Fig.2	Tomographs of two-phase flow in fuel bundles of nuclear reactor.				
		(a) Water distribution at baffle plate.				
		(b) Water distribution at 72mm downstream from baffle plate.				57 2 154 LR 108
F-10	Fig.3	Visualization of two-phase flow in fuel bundles of nuclear reactor.				
		(a) Neutron radiography system.				
		(b) 3D image of two-phase flow obtained by neutron CT.				57 2 155 LR 109
F-10	Fig.4	Sword of 6th century AD.				
		(a) Neutron radiograph, (b) 3D CT image.				57 2 156 LR 110
F-10	Fig.5	3D CT images of turbine blades obtained in AEROTEST reactor (L/D=250). (a)~(c).				57 2 157 LR 111
F-10	Fig.6	Line profiles (top) and radiographs (bottom) of chlorides in steel reinforced concrete.				
		(a) Before immersion, (b) After immersion.				57 2 157 LR 111
F-10	Fig.7	Structure analysis of corn kernels by neutron CT.				
		(a) Tomographic reconstruction,				
		(b) Tomography of kernel slice computed.				57 2 157 LR 111
F-10	Fig.8	Cold neutron tomography of large soot filter.				
		57	2	158	L 112	
F-10	Fig.9	Cold neutron tomography on operating multi-stacked fuel cell.				
		(a) time; 0 min, current; 0 mA, water amount; 0.24 cm ³ ,				
		(b) time; 15 min, current; 400 mA, water amount; 0.42 cm ³ ,				
		(c) time; 30 min, current; 800 mA, water amount; 0.49 cm ³ ,				
		(d) time; 45 min, current; 900 mA, water amount; 0.52 cm ³ .				57 2 158 LR 112

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.Fig./Table No.	Title	Original Vol. No. Page	Column Bound L/R Page
F-10 Fig.10	Ultra cold neutron tomography of carnation obtained at Kyoto University Reactor (KUR).	57 2 159	L 113
F-10 Fig.11	Fast neutron tomography. (a) Structure of object, (b) Tomographic reconstruction.	57 2 159	LR 113
F-10 Fig.12	Neutron resonance absorption CT using linac. (a) Tomographic reconstruction of tantalum in sample. (b) Tomographic reconstruction of silver in sample.	57 2 160	LR 114
F-10 Fig.13	Dynamic tomography of small disk of water.	57 2 160	R 114
F-10 Fig.14	Dynamic tomography using neutron image intensifier. (a) Tomographic reconstruction by neutron converter and cooled CCD camera (measuring time ; about 2 hours). (b) Tomographic reconstruction by neutron image intensifier and CMOS camera (measuring time ; 9 s).	57 2 161	LR 115
F-10 Fig.15	Phase contrast tomography of aluminium step wedge with surrounding casting. (a) Standard tomography, (b) Phase contrast tomography.	57 2 161	LR 115
F-10 Fig.16	3D refraction tomography of an aluminium rod.	57 2 162	LR 116
F-10 Fig.17	Comparison between absorption CT, refraction CT and ultra small angle scattering CT of brass sample.	57 2 162	LR 116
F-10 Fig.18	Polarized neutron tomography of stray field of small permanent magnet.	57 2 163	R 117
F-10 Fig.19	Use of artifact to measure length of water droplet. (a) 3D Tomographic reconstruction. (b) Derivation of length of water droplet from artifact.	57 2 164	R 118
<hr/>			
F-11	New Technologies of Neutron Imaging (Part 1). by Y. Kawabata		
F-11 Fig.1	Drawings of CONRAD setup in Hahn-Meitner Institute(HMI).	57 3 200	LR 122
F-11 Fig.2	Experimental setup for phase contrast measurement.	57 3 201	LR 123

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.Fig./Table No.	Title	Original		Column Bound		
		Vol.	No.	Page	L/R	Page
F-11 Fig.3	Images measured by phase contrast and ordinary setup (sample: injection needle).	57	3	201	L	123
F-11 Fig.4	Images measured by phase contrast and ordinary setup (sample: Aluminium step).	57	3	201	LR	123
F-11 Fig.5	Image of Al welding sample measured by neutron refraction method.	57	3	203	LR	125
F-11 Fig.6	Experimental setup for stroboscopic imaging.	57	3	203	R	125
F-11 Fig.7	Sample for stroboscopic imaging (fuel nozzle of diesel engine).	57	3	203	R	125
F-11 Fig.8	Image of stroboscopic measurement (cavitation in fuel nozzle of diesel engine).	57	3	204	LR	126
F-11 Fig.9	Images obtained by X-ray and neutron radiography (sample : heart pacemaker).	57	3	204	R	126
F-11 Fig.10	Images obtained by X-ray and neutron radiography (sample : tip of arrow with paraffin).	57	3	205	LR	127

F-12 New Technologies of Neutron Imaging (Part 2). by Y. Kawabata

F-12 Fig.1	Experimental setup for energy selective neutron imaging by time of flight (TOF) method.	57	4	268	LR	130
F-12 Fig.2	Variation of images according to neutron energy measured by TOF method.	57	4	268	LR	130
F-12 Fig.3	Image emphasis of polycrystalline material using Bragg cut-off effect.	57	4	269	LR	131
F-12 Fig.4	Residual stress measurement by TOF method.	57	4	270	LR	132
F-12 Fig.5	Residual stress measurement using monochromatic neutrons around Bragg cut-off wavelength.	57	4	270	L	132
F-12 Fig.6	Measurement principle of neutron resonance absorption spectrometry (N-RAS).	57	4	271	LR	133
F-12 Fig.7	Experimental arrangement of neutron resonance absorption spectrometry (N-RAS).	57	4	271	LR	133
F-12 Fig.8	Experimental setup and results of neutron resonance absorption spectrometry (N-RAS).	57	4	272	LR	134

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.Fig./Table No.	Title	Original Vol. No.	Page	Column Bound L/R	Page
----------------------	-------	----------------------	------	---------------------	------

—*Application Part*— (denote “A-1” = “Application part No.1 etc.)

A-1 Neutron Imaging in Nondestructive Testing. by Y. Ikeda

A-1	Fig.1	Principle of ultrasonic test by vertical water immersion method.	56	4	221	LR	141
A-1	Fig.2	Principle of magnetic particle test (MPT). (a), (b).	56	4	222	L	142
A-1	Fig.3	Principle of magnetic-field test (MFT).	56	4	222	R	142
A-1	Fig.4	Principle of penetrant test (PT).	56	4	222	R	142
A-1	Fig.5	Principle of eddy current test (ET).	56	4	223	L	143
A-1	Fig.6	Principle of infrared thermography.	56	4	223	R	143
A-1	Fig.7	Outline of ultrasonic test in the factory line of steel plate.	56	4	225	LR	145
A-1	Fig.8	Outline of eddy current test (ET) in of steel pipe factory line.	56	4	226	L	146
A-1	Fig.9	Typical welding defects.	56	4	226	R	146
A-1	Fig.10	Outline of neutron imaging equipment for aircraft test.	56	4	228	L	148
A-1	Table1	Objects and fields of nondestructive test.	56	4	220	LR	140
A-1	Table2	Materials, shapes and position of nondestructive test, and applicable inspection technology.	56	4	220	LR	140
A-1	Table3	Kinds and purposes of nondestructive test.	56	4	221	LR	141
A-1	Table4	Comparison of testing methods used for steel pipe manufacturing.	56	4	225	LR	145
A-1	Table5	Nondestructive testing methods for welding.	56	4	226	LR	146

A 2 Evaluation Method of Neutron Imaging and X-ray Imaging in Nondestructive Testing. by Y. Ikeda

A-2	Fig.1	Transmitting and non-imaging terms of radiography test.	56	5	285	LR	153
A-2	Fig.2	Relation between body thickness of Si ₃ N ₄ ceramic and minimum detectable limit of defect size (thickness).	56	5	286	L	154
A-2	Fig.3	Dimension of penumbra determined by collimator ratio, L/D.	56	5	286	R	154
A-2	Fig.4	Examples of X-ray resolution chart.	56	5	287	L	155
A-2	Fig.5	X-ray images of X-ray resolution chart.	56	5	287	R	155

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.Fig./Table No.	Title	Original Vol. No.	Page	Column Bound L/R	Page	
A-2 Fig.6	Penetrameters for X-ray radiography test. (a) Wire type penetrameters of Japanese Industrial Standard (JIS). (b) Hole type penetrameters of ASTM standard.	56	5	288	LR	156
A-2 Fig.7	Neutron beam purity indicator (BPI) of ASTM standard.	56	5	289	L	157
A-2 Fig.8	Neutron sensitivity indicator (SI) of ASTM standard.	56	5	289	L	157
A-2 Fig.9	Neutron images of BPI and SI obtained by Rikkyo university reactor (a) Beam purity indicator, (b) Sensitivity indicator.	56	5	290	L	158
<hr/>						
A 3	Application of Neutron Imaging in Aircraft, Space Rocket, Car and Gunpowder Industries. by Y. Ikeda					
A-3 Fig.1	Radiography of turbine-blades of aircraft engine. (a) XRT: Image of XRT taken by 230kV tube voltage. (b) NRT: Image of NRT taken by small cyclotron. (c) NRT: Image of NRT taken by research reactor with L/D of 100. (d) NRT: Image of NRT taken by research reactor with L/D of 800.	56	6	341	LR	161
A-3 Fig.2	Radiography of turbine-blades of aircraft engine. (a) XRT: Image of XRT taken by 120kV. (b) NRT: Image of NRT taken by KUR (Kyoto University Reactor).	56	6	342	LR	162
A-3 Fig.3	Image of coking in gas-turbine nozzle (Black parts are carbon).	56	6	342	L	162
A-3 Fig.4	Honeycomb structure of aircraft.	56	6	342	L	162
A-3 Fig.5	Neutron imaging equipments for aircraft inspection. (a) Imaging system by 252-Cf neutron generator. (b) Imaging system by 252-Cf neutron Generator. (c) Imaging system by shield-tube type neutron generator. (d) Imaging system by shield-tube type neutron generator.	56	6	343	LR	163

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.Fig./Table No.	Title	Original Vol. No.	Page	Column L/R	Bound Page	
A-3 Fig.6	NRT images of honeycomb structure of aircraft. (a) NRT image of aluminum alloy of aircraft (Arrows show erosion parts). (b) Comparison of radiography images for honeycomb structure of aircraft, (Arrowsshow erosion parts). (c) NRT images of honeycomb structures of helicopter rotor wings.	56	6	343	LR	163
A-3 Fig.7	NRT images of helicopter rotor blades (Images are given by courtesy of Dr. M. Balasko, Hungary). (a) Inspection of helicopter rotor blades. (b) Comparison of NRT/XRT images for restoration of honeycomb structure (a: Inclusion of metal, b: Surplus of adhesive, c: Restored area, d: Glued area). (c) Images of defects for rotor blade.	56	6	344	LR	164
A-3 Fig.8	RT images of delayed igniter. (a) NRT image taken by KUR. (b) XRT image taken by 200kV of tube voltage. (c) Figure of delayed igniter.	56	6	344	LR	164
A-3 Fig.9	RT images of igniters. (a) NRT image taken by KUR. (b) XRT image taken by 200kV tube voltage. (c) Figure of igniter.	56	6	345	LR	165
A-3 Fig.10	RT images of two types of partition igniters. (a) NRT image taken by KUR. (b) XRT image taken by 200kV tube voltage.	56	6	346	LR	166
A-3 Fig.11	Radiography images of separation bolts used in space rocket.	56	6	346	LR	166
A-3 Fig.12	Radiography images of automobile carburetor. (a) XRT image taken by 90kV tube voltage. (b) NRT image taken by KUR cold neutron beam facility (White parts are voids image-enhanced with water).	56	6	347	LR	167
A-3 Fig.13	Appearance and NRT image of auto-bicycle engine.	56	6	347	LR	167
A-3 Fig.14	NRT image of auto-bicycle engine (a), (b).	56	6	347	LR	167
A-3 Fig.15	Real-time NRT image of BMW engine rotating at 1000rpm taken by 200 μ s/flame (Images are given by courtesy of Dr. B. Schilinger).	56	6	348	R	168

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.Fig./Table No.	Title	Original		Column Bound		
		Vol.	No. Page	L/R	Page	
A-3	Fig.16	NRT images of fireworks and gunpowder in bullets.				
		(a) Fireworks taken by Cyclotron of Sumitomo Heavy Industry Examination and Inspection, Ltd.				
		(b) Gunpowder in bullets taken by Rikkyo University Reactor.				
		56	6 349	LR	169	
A-3	Table1	Neutron radiography testing facilities available in JAPAN.				
		56	6 340	LR	160	
A-3	Table2	Examples of industrial application of neutron imaging.				
		56	6 340	LR	160	
<hr/>						
A-4	Applications of Neutron Imaging to Material Engineering. by M. Tamaki					
A-4	Fig.1	Blurring effect and edge effect in image due to scattered neutrons.				
		56	7 418	L	172	
A-4	Fig.2	Neutron images of hydrogen distribution in palladium hydride due to electro-transport phenomena.				
		(a) As hydrogenation.				
		(b) After electro-transport for 69 days.				
		56	7 418	L	172	
A-4	Fig.3	Neutron CT reconstruction images after removing scattered neutron influence in fast neutron radiography.				
		(a) 8 cubic solid blocks (Fe, Cu, PE, PE, Pb, Al, Al, Fe).				
		56	7 419	LR	173	
A-4	Fig.4	Devices for measuring effective neutron cross-section.				
		(a) Inside and outside features of beam quality indicator.				
		(b) Typical neutron image obtained at TNRF, JRR-3M, Japan Atomic Energy Agency (JAEA).				
		56	7 419	L	173	
A-4	Fig.5	Neutron image of nuclear fuel pin (gadolinium absorber, uranium oxide pellets and zirconium cladding).				
		56	7 419	R	173	
A-4	Fig.6	Process of CT-reconstruction for cylindrical metallic rods.				
		(a) Various metallic samples.				
		(b) Sonogram image for CT reconstruction.				
		(c) CT reconstructed image.				
		(d) Correlation between CT-values and effective macroscopic cross-sections.				
		56	7 420	LR	174	

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.	Fig./Table No.	Title	Original		Column Bound	
			Vol.	No. Page	L/R	Page
A-4	Fig.7	Removal technique of scattered neutron influence by honeycomb collimator and its application to quantitative CT. (a) Schematic arrangement for removal of scattered neutrons by honeycomb collimator. (b) One dimensional CCD signals of honeycomb and step-wedge-honeycomb set, and its transmittance of step-wedge evaluated from two corresponding signals ratio. (c) Quantitative CT reconstructed image applied above-mentioned removal techniques.	56	7 421	L	175
A-4	Fig.8	Correction technique of scattered neutrons by using point scattering function and its application to evaluation of water content in soil (a) As neutron image. (b) Water component image after scattering correction.	56	7 421	R	175
A-4	Fig.9	Densification of PWR fuel pellets due to burn-up under reactor irradiation and its evaluation from neutron image. (a) Neutron images of pellet-pellet gaps. (b) Comparison of optical density changes of neutron images around gap between pre- and post- irradiation.	56	7 422	LR	176
A-4	Fig.10	Neutron images of post-irradiated uranium oxide fuel elements by Dy-IP technique.	56	7 422	R	176
A-4	Fig.11	Neutron images of post-irradiated spallation targets by Dy-IP technique.	56	7 423	L	177
A-4	Fig.12	Evaluation of neutron images of post-irradiated spallation targets. (a) Neutron image and its CT reconstruction (ZrH ₂ blisters). (b) Typical CT image of ZrH ₂ spots.	56	7 423	R	177
A-4	Fig.13	Monochromatic neutron transmission images of welded steel by neutron wavelengths. Left (0.54 nm); No image of weld part due to longer wavelength than Bragg-cut-off. Center (0.40 nm); Just Bragg-cut-off wavelength image). Right (0.32 nm); Shorter image.	56	7 425	L	179

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.	Fig./Table No.	Title	Original		Column Bound	
			Vol.	No. Page	L/R	Page
A-4	Fig.14	Neutron CT images by scanning monochromatic neutron beam technique. (a) Reconstruction tomograms by two wavelengths, (b) Neutron wavelength dependence of attenuation coefficients of nickel and molybdenum. (c) Neutron wavelength dependence of ratio of attenuation coefficients of Ni/Mo.	56	7 426	L	180
A-4	Fig.15	Neutron imaging by two wavelengths techniques. (a) 0.69nm image. (b) 0.32nm image , (c) Ratio image of (a)/(b).	56	7 426	L	180
A-4	Fig.16	(a) Three-dimensional CT images of bent tube. (b) Neutron CT of magnetic field of permanent magnet by polarized neutrons imaging.	56	7 427	LR	181
A-4	Fig.17	3-D temperature measurement inside material by CT imaging by using epi-thermal neutron resonance absorption technique. (a) Arrangement of CT samples for neutron resonance absorption. (b) Reconstructed CT image of temperature distributions of samples measured by neutron resonance absorption and calculated by Doppler effect evaluation.	56	7 428	LR	182
A-4	Fig.18	Imaging of specified isotope by combination of fast neutron resonance absorption and time-of-flight technique. (a).Imaging of carbon rods and a steel wrench with fast neutrons: inset fig.(a,b) photos of sample,which consists of a steel wrench and various carbon rods. inset fig.(c) detector and sample in the neutron beam. inset fig.(d) neutron transmission image in a broad spectrum neutron beam (b).Resonance imaging of mask of (a). inset upper left figure TOF spectrum with window at ON and OFF resonance. Pictures ON and OFF show the radiographs for the selected energy (TOF) windows, R is the pixel-by-pixel divided image ON/OFF.	56	7 428	LR	182
A-4	Table1	Bragg cut-off energies of typical materials.	56	7 424	LR	178
A-4	Table2	Effective neutron beam energies through bismuth filter measured by beam quality indicator for effective neutron energy evaluation.	56	7 425	L	179

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.Fig./Table No.	Title	Original Vol. No.	Page	Column Bound L/R	Page
A-5 Application of neutron imaging to fluid engineering - 1: by N. Takenaka, H. Asano, H. Umekawa and M. Matsubayashi					
A-5	Fig.1	Neutron radiography images of accumulator and compressor using refrigerant R22.			
		(a) Non-operating condition.			
		56	8	490	L 188
		(b) Operating condition.			
A-5	Fig.2	56	8	490	R 188
		Structure of a plate heat exchanger.			
A-5	Fig.3	Void fraction distribution obtained by still images using a cooled CCD Camera.			
		(a) Outside. (b) upwards flow. (c) downwards flow.			
		56	8	491	L 189
A-5	Fig.4	Refrigerant behaviors in a distributor.			
		(a) Structure. (b) Original image. (c) Liquid image.			
		56	8	491	R 189
A-5	Fig.5	Refrigerant boiling flow in aluminium capillary (2 mm in inner diameter, 3 mm in outer diameter).			
		56	8	491	LR 189
A-5	Fig.6	Radiography image of two-phase flow in spiral tube, 0.221 m/s in liquid flux.			
		(a) 14.3 m/s in gas flux, 115 kPa in pressure.			
		(b) 53.6 m/s in gas flux, 311 kPa in pressure.			
		56	8	492	L 190
A-5	Fig.7	A cold plate used in two-phase fluid loop			
		(a) Structure of cold plate.			
		(b) Frame in video.			
		58	8	492	R 190
A-5	Table1	56	8	489	LR 187
A 6 Application of Neutron Imaging to Fluid Engineering - 2: by N. Takenaka, H. Asano, H. Umekawa and M. Matsubayashi					
A-6	Fig.1	Experimental apparatus for water distribution visualization in electrolyte membrane.			
		56	9	586	L 194
A-6	Fig.2	Japan Automobile Research Institute (JARI) standard fuel cell for visualization.			
		56	9	586	L 194
A-6	Fig.3	Visualized images by using a cooled CCD camera.			
		(a) without water. (b) operating condition.			
		56	9	587	L 195

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.	Fig./Table No.	Title	Original		Column Bound	
			Vol.	No. Page	L/R	Page
A-6	Fig.4	Water distribution and its temporal change after water was poured. (a) Water distribution. (b) Temporal change of water distribution integrated horizontally.	56	9 587	LR	195
A-6	Fig.5	Visualization of segregation phenomena.	56	9 588	LR	196
A-6	Fig.6	Examples of velocity distribution measurement around bubble.	56	9 588	LR	196
A-6	Fig.7	Visualization in modified hydrogen storage tank. (a) Projection Images. (b) Cross sectional images indicated by broken lines in projection images.	56	9 590	L	198
A-6	Fig.8	Visualization of liquid surface in automobile compressor.	56	9 590	L	198
<hr/>						
A 7	Application of Neutron Imaging to Nuclear Engineering.					
	by N. Takenaka, R. Yasuda, Y. Saito and M. Kureta					
A-7	Fig.1	Images of non-irradiated fuel pin visualized by neutrons and X ray.	56	10 700	LR	202
A-7	Fig.2	Neutron CT images and CT value distributions of natural and enriched uranium pellet (A)~(D).	56	10 701	LR	203
A-7	Fig.3	Neutron cross section images of zircalloy with hydrogen.	56	10 701	LR	203
A-7	Fig.4	Relation between hydrogen concentration and photo stimulated luminescence in zircalloy tub.	56	10 702	L	204
A-7	Fig.5	Instantaneous velocity measured by tracer particles $j_g = 13.3$ cm/s.	56	10 703	LR	205
A-7	Fig.6	Evaporation of water droplet in Newton alloy.	56	10 703	LR	205
A-7	Fig.7	Visualization of lithium injection module 30 frames/s.	56	10 703	LR	205
A-7	Fig.8	Time averaged void fraction distributions of boiling two-phase flow in heating circular channel with obstacle.	56	10 704	LR	206
A-7	Fig.9	Three dimensional void fraction distributions of boiling two-phase flow in heating 14 tight lattice bundle. (a) Three-dimensional void fraction distributions. (b) Cross-section void fraction distributions.	56	10 705	LR	207

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.Fig./Table No.	Title	Original Vol. No. Page	Column Bound L/R Page
A-7	Fig.10 Instantaneous void fraction distributions of sub-cooled boiling flow in rectangular channel with one-side heating.	56 10 705	LR 207
A-7	Fig.11 Temporal change of instantaneous void fraction distributions of boiling two-phase flow in heating 14 tight lattice bundle.	56 10 706	L 208
<hr/>			
A-8	Application of Neutron Imaging to Inspection of Art Objects and Ancient Artifacts. by M. Matsubayashi and F. Masuzawa		
A-8	Fig.1~3 Photograph, neutron radiograph and X-ray radiograph of sutra container excavated from Ichijo-ji sutra mound, respectively.	56 11 764	LMR 212
A-8	Fig.4~6 Photograph, neutron radiograph and X-ray radiograph of bronze sutra container, respectively.	56 11 765	LMR 213
A-8	Fig.7~9 Photograph, neutron radiograph and X-ray radiograph of the statue of Sakyamuni at birth, respectively.	56 11 766	LMR 214
A-8	Fig.10~12 Photograph, neutron radiograph and X-ray radiograph of bronze vase excavated from Negoro-ji temple side, respectively.	56 11 766	LMR 214
A-8	Fig.13 Contents confined in bronze vase excavated from Negoro-ji temple Side.	56 11 767	L 215
A-8	Fig.14 Bronze mirror excavated from Shibusaki 7th tumulus of Sakuraji mounded tomb group (photograph, neutron radiograph, X-ray radiograph).	56 11 768	LR 216
A-8	Fig.15~18 Photograph sketch for restoration, neutron radiograph and X-ray radiograph of restored iron sword excavated from the Udogaya rock-cut tomb, respectively.	56 11 769	LR 217
A-8	Fig.19~22 Photograph, neutron radiograph, γ -ray radiograph and enhanced neutron radiograph of gilt bronze applied iron boss, respectively.	56 11 770	LR 218
A-8	Fig.23~25 Photograph, neutron radiograph and γ -ray radiograph of gilt bronze applied iron strap union.	56 11 771	LR 219
A-8	Fig.26~29 Photograph, neutron radiograph, γ -ray radiograph and magnified neutron radiograph of gilt bronze applied iron pendant, respectively.	56 11 772	LR 220

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.Fig./Table No.	Title	Original Vol. No.	Page	Column L/R	Bound Page
<hr style="border-top: 1px dashed black;"/>					
A-9	Application of Neutron Imaging to Biological Research. by Y. Kawabata				
A-9	Fig.1	Neutron CT image of carnation before (left) and after (right) wilting.			
		56	12	828	LR 226
A-9	Fig.2	Sample for vacuum cooling effect measurement (chrysanthemum).			
		56	12	828	R 226
A-9	Fig.3	Neutron images before (left) and after (right) vacuum cooling (chrysanthemum).			
		56	12	829	LR 227
A-9	Fig.4	Growing pot for Korean ginseng.			
		56	12	830	L 228
A-9	Fig.5	Neutron CT image of Korean ginseng in soil.			
		56	12	830	R 228
A-9	Fig.6	Bacterial inoculation in cedar seedling.			
		56	12	831	L 229
A-9	Fig.7	Neutron imaging setup for cedar seedling after bacterian inoculation.			
		56	12	831	R 229
A-9	Fig.8	Neutron images of cedar seedling after bacterian inoculation.			
		56	12	832	LMR 230
A-9	Fig.9	Cold neutron (top), thermal neutron (middle) and X-ray (bottom) images of rabbit liver with cancer (VX-2).			
		56	12	833	L 231
<hr style="border-top: 1px solid black;"/>					
A-10	Application of Neutron Imaging to Medical Field.				
	by K. Kato, H. Wakao, K. Ogura, H. Yanagie and H. Kobayashi				
A-10	Fig.1	Whole body imaging of mouse by using (a) thermal neutron and (b) NIP.			
		(a) Transmission image.			
		(b) Scattered thermal neutron image of a mouse whole body by NIP.			
		56	12	838	L 236
A-10	Fig.2	Edge enhanced NR images with visicon camera			
		(a) Femur and tail of mouse.			
		(b) Bronchi and heart of breast area.			
		56	12	839	L 237
A-10	Fig.3	X-ray (XR) and neutron images (NR) of normal tooth (a) and its scanning chart of images (b).			
		56	12	842	L 240
A-10	Fig.4	X-ray (XR) and neutron (NR) images of tooth with cast (Morrison) crown.			
		56	12	842	R 240
A-10	Fig.5	X-ray (XR) and neutron (NR) images of tooth with inlay of gold alloy and gutta-percha filling.			
		56	12	842	R 240
A-10	Fig.6	X-ray (XR) and neutron (NR) images of tooth restored with amalgam and composite resin.			
		56	12	842	R 240
A-10	Fig.7	X-ray (XR) and neutron (NR) images of metal plate artificial tooth.			
		56	12	843	L 241

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.Fig./Table No.	Title	Original Vol. No.	Page	Column L/R	Bound Page
A-10 Fig.8	NCAR images of whole-body ^{10}B distribution in cancer-bearing mouse after intravenous injection of ^{10}B -liposome solution. Mouse was sacrificed (a) 3 hours and (b) 12 hours after injection of ^{10}B -liposome solution. NCAR images of the standard filter paper sheets with different ^{10}B concentrations are also displayed (c). Whitish sections with high contrast in NCAR images correspond to areas of high ^{10}B -concentration. Samples were exposed to $1.8 \times 10^{12} \text{ ncm}^{-2}$ of thermal neutrons in thermal column of the TRIGA-II reactor of Rikkyo University (RUR), Japan.	56	2	844	L 242
A-10 Fig.9	NCAR images of whole-body ^{10}B distribution in mouse after intravenous injection of ^{10}B solution. Mouse was sacrificed 60 hours after ^{10}B injection. Whitish sections with high contrast in NCAR images correspond to the areas of high ^{10}B -concentration. Samples (a) and (d) were exposed to $2 \times 10^{12} \text{ ncm}^{-2}$ of thermal neutrons at RUR. Samples (b) and (c) were exposed to $2 \times 10^{11} \text{ ncm}^{-2}$ of cold neutrons at PSI, Switzerland and at Saclay, France, respectively. NCAR images (a)~(c) on CR-39 plastic detectors were obtained by etching in 7M NaOH solution at 70°C for 2 hours. Sample (d) was etched PEW ₆₅ solution (15wt%KOH + 65wt% $\text{C}_2\text{H}_5\text{OH}$ + 20wt% H_2O) at 50°C for 8 min.	56	12	844	R 242
A-10 Fig.10	Digitized NCAR image reconstructed by means of two dimensional scatter plot (i.e. α - and Li-track mapping) of coordinate of each track observed at portion of tumor section. Unit of scale is μm .	56	12	845	R 243
A-10 Fig.11	High resolution images of both cancer cells' relief and α - and/or Li-tracks (arrows) on CR-39 surface. This image was taken by means of atom force microscope (AFM).	56	12	846	L 244
A-10 Table1	Reports for NR of small animals without surgical treatments.	56	12	839	LR 237
A-10 Table2	Reports for NR of surgically resected organs.	56	12	840	LR 238
A-10 Table3	Linear attenuation coefficient of tooth and dental materials for thermal neutron and X-Ray (30keV, 60keV).	56	12	841	LR 239
<hr/>					
A-11	Problems and Prospects of Neutron Imaging. by H. Kobayashi				
A-11 Table1	Typical value of parameters and its boundaries on neutron imaging.	57	3	208	LR 248

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.Fig./Table No.	Title	Original Vol. No.	Page	Column Bound L/R	Page
<hr/>					
A-11 Table2	Various converters for sub-thermal neutron imaging.	57	3	209	R 249
A-11 Table3	Various ASTM, ISO, and NDIS standards for neutron radiography.	57	3	214	LR 254
<hr/>					
A-12 Neutron Imaging Facilities in Japan and Abroad. by M. Matsubayashi					
A-12 Fig.1	JRR-2 neutron radiography facility (vertical sectional view).	57	5	331	LR 261
A-12 Fig.2	NSRR neutron radiography facility (NRG-A) (vertical sectional view).	57	5	331	LR 261
A-12 Fig.3	JRR-3M thermal neutron radiography facility collimator region (horizontal sectional view).	57	5	332	LR 262
A-12 Fig.4	JRR-3M thermal neutron radiography facility (vertical sectional view).	57	5	332	LR 262
A-12 Fig.5	JRR-3M cold neutron radiography facility (vertical sectional view).	57	5	333	LR 263
A-12 Fig.6	KUR thermal neutron radiography facility (cross-sectional view).	57	5	333	LR 263
A-12 Fig.7	KUR cold neutron (CN-3) radiography facility (cross-sectional view).	57	5	334	LR 264
A-12 Fig.8	KUR very cold neutron radiography facility (plan view).	57	5	334	LR 264
A-12 Fig.9	Musashi Institute of Technology Reactor neutron radiography facility (cross-sectional view).	57	5	334	LR 264
A-12 Fig.10	Rikkyo University Reactor neutron radiography facility (vertical sectional view).	57	5	335	LR 265
A-12 Fig.11	Kinki University Reactor neutron radiography facility (vertical sectional view).	57	5	335	L 265
A-12 Fig.12	Experimental holes for neutron radiography experiments in Fast neutron source reactor YAYOI of University of Tokyo (vertical sectional view).	57	5	336	LR 266
A-12 Fig.13	Small size cyclotron accelerator neutron radiography facility of Sumitomo Heavy Industries Examination & Inspection (stereograph).	57	5	336	R 266
A-12 Fig.14	Baby cyclotron accelerator neutron radiography facility of Japan Steel Works, Ltd. (stereograph).	57	5	337	L 267
A-12 Fig.15	Neutron radiography facility installed in the hot laboratory pool of Nagoya University (stereograph).	57	5	337	R 267

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.	Fig./Table No.	Title	Original		Column Bound	
			Vol.	No. Page	L/R	Page
A-12	Fig.16	Van de Graaff accelerator neutron radiography experimental equipment of Osaka Prefectural Radiation Research Institute (vertical sectional view).	57	5 337	R	267
A-12	Fig.17	Thermal neutron beam generator of Toyota Central R&D Labs, Inc. (horizontal sectional view).	57	5 338	L	268
A-12	Fig.18	²⁵² Cf thermal neutron radiography facility of Japan Atomic Energy Agency (vertical sectional view).	57	5 338	L	268
A-12	Fig.19	Movable ¹²⁴ Sb neutron radiography facility of Osaka Prefectural Radiation Research Institute (cross-sectional view).	57	5 338	R	268
A-12	Fig.20	High performance neutron imaging facilities in world.	57	5 341	L	271
A-12	Fig.21	ILL neutron radiography facility (NEUTROGRAPH) (plan view).	57	5 341	R	271
A-12	Fig.22	HMI neutron radiography facility (CONRAD) (stereograph).	57	5 341	LR	271
A-12	Fig.23	ORPHEE neutron radiography facility (plan view).	57	5 342	LR	272
A-12	Fig.24	TUM neutron radiography facility (ANTARES) (rough birds-eye view).	57	5 343	LR	273
A-12	Fig.25	TUM neutron radiography facility (ANTARES) beam line (stereograph).	57	5 343	L	273
A-12	Fig.26	NIST neutron radiography facility (floor plan view).	57	5 343	R	273
A-12	Fig.27	NIST neutron radiography facility (stereograph).	57	5 344	LR	274
A-12	Fig.28	PSI neutron radiography facility (NEUTRA) (plan view).	57	5 344	LR	274
A-12	Fig.29	PSI cold neutron radiography facility (ICON) (stereograph).	57	5 345	LR	275
A-12	Fig.30	Harwell DIDO neutron radiography facility (6HGR9).	57	5 345	LR	275
A-12	Fig.31	Harwell DIDO neutron radiography facility (6H [subthermal]) (vertical sectional view).	57	5 346	LR	276
A-12	Fig.32	Petten HRF neutron radiography facility (vertical sectional view).	57	5 346	LR	276
A-12	Fig.33	PSI SAPHIR neutron radiography facility (horizontal sectional view).	57	5 346	LR	276

LIST OF CAPTIONS: FIGURES PHOTOGRAPHS AND TABLES

FA-No.Fig./Table No.	Title	Original Vol. No.	Page	Column L/R	Bound Page
A-12 Fig.34	CRNL NRU neutron radiography facility.	57	5	347	LR 277
A-12 Fig.35	SNL ACRR. a) neutron radiography facility (HFNR) (birds-eye view). b) moderator vessel and collimator (vertical sectional view).	57	5	347	LR 277
A-12 Table1	General specification of neutron radiography facilities in Japan.	57	5	30	LR 260
A-12 Table2	Comparison of feature in JRR-3M and J-PARC/JSNS as neutron radiography.	57	5	339	LR 269
A-12 Table3	General specification of neutron radiography facilities abroad.	57	5	340	LR 270
